

## SAFETY DATA SHEET

www.gildewerk.com (REACH regulation (EC) n° 1907/2006 - n° 2020/878)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: PERFUME OIL ZARDOS

Product code: YZS-2602\* UFI: 2D67-R06F-X00S-VV6R

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Perfumed composition

## 1.3. Details of the supplier of the safety data sheet

Company Gildewerk B.V. Tel: +31 - (0)23 532 22 55

A. Hofmanweg 41 Fax: +31 - (0)23 534 09 65
2031 BH Haarlem Email: holland@gildewerk.com

Nederland

### 1.4. Emergency telephone number

+31 (0) 30 -2748888 - Only for professionals (English or Dutch only) (Nationaal Vergiftigingen Informatie Centrum (NVIC)

## **SECTION 2 : HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

## 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:









GHS05

GHS09

GHS08

GHS07

Signal Word : DANGER

Product identifiers:

EC 204-116-4 LINALYL ACETATE

EC 201-134-4 LINALOOL EC 227-813-5 D-LIMONENE

EC 245-890-3 ISOLONGIFOLENE KETONE

EC 203-377-1 GERANIOL EC 202-086-7 COUMARIN

EC 228-408-6 HEXYL SALICYLATE EC 203-375-0 DL-CITRONELLOL

EC 261-332-1 FORMALDEHYDE CYCLODODECYL ETHYL ACETAL

EC 203-378-7 NEROL

EC 289-861-3 OAKMOSS ABSOLUTE EC 201-746-1 BETA-CARYOPHYLLENE

EC 207-431-5 EUCALYPTOL

EC 237-539-8 CIS-4-(ISOPROPYL)CYCLOHEXANEMETHANOL

EC 203-341-5	GERANYL ACETATE
EC 201-291-9	ALPHA-PINENE
EC 204-872-5	BETA-PINENE

EC 203-161-7 2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE

EC 203-338-9 CITRONELLYL FORMATE

Hazard statements:

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

Precautionary statements - Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P321 Specific treatment (see ... on this label).

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Precautionary statements - Storage:

P405 Store locked up.

Precautionary statements - Disposal:

P501 Dispose of contents/container to ...

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 59 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

**Composition:** 

Identification	Classification (EC) 1272/2008	Note	%
HYDROCARBONS	GHS08		10 <= x % < 25
	Dgr		
	Asp. Tox. 1, H304		
CAS: 8000-41-7	GHS07		2.5 <= x % < 10
EC: 232-268-1	Wng		
REACH: 01-2119553062-49-XXXX	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
TERPINEOL			
CAS: 115-95-7	GHS07		2.5 <= x % < 10
EC: 204-116-4	Wng		
REACH: 01-2119454789-19-0001	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
LINALYL ACETATE	Eye Irrit. 2, H319		

CAS: 78-70-6	GHS07		2.5 <= x % < 10
EC: 201-134-4	Wng		2.5 < 170 < 10
REACH: 01-2119474016-42-0000	Skin Irrit. 2, H315		
REFIELD 01 2119 17 1010 12 0000	Skin Sens. 1B, H317		
LINALOOL	Eye Irrit. 2, H319		
CAS: 5989-27-5	GHS02, GHS07, GHS08, GHS09		2.5 <= x % < 10
EC: 227-813-5	Dgr		2.0 1 70 110
REACH: 01-2119529223-47-xxxx	Flam. Liq. 3, H226		
REFIELD OF ELLIPSEPEES TO ARRA	Asp. Tox. 1, H304		
D-LIMONENE	Skin Irrit. 2, H315		
D-EIWONENE	Skin Sens. 1B, H317		
	Aquatic Chronic 3, H412		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 87-20-7	GHS07, GHS09		2.5 <= x % < 10
			$2.3 \le x \% < 10$
EC: 201-730-4	Wng		
ICO ANNA CALICNA ATTE	Acute Tox. 4, H302		
ISOAMYL SALICYLATE	Aquatic Chronic 2, H411		2.5 0/ 10
CAS: 18479-58-8	GHS07		$2.5 \ll x \% < 10$
EC: 242-362-4	Wng		
REACH: 01-2119457274-37-008	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
DIHYDROMYRCENOL	STOT SE 3, H336		
CAS: 23787-90-8	GHS07, GHS09		$2.5 \ll x \% < 10$
EC: 245-890-3	Wng		
	Skin Sens. 1B, H317		
ISOLONGIFOLENE KETONE	Aquatic Chronic 2, H411		
CAS: 1506-02-1	GHS07, GHS09		$2.5 \ll x \% < 10$
EC: 216-133-4	Wng		
REACH: 01-2119539433-40-XXXX	Acute Tox. 4, H302		
	Aquatic Acute 1, H400		
6-ACETYL-1,1,2,4,4,7-HEXAMETHYLTETRA	M Acute = 1		
LINE (TONALIDE, FIXOLIDE, AHTN)	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 106-24-1	GHS05, GHS07		$0 \le x \% < 2.5$
EC: 203-377-1	Dgr		
REACH: 01-2119552430-49-0003	Skin Irrit. 2, H315		
	Skin Sens. 1, H317		
GERANIOL	Eye Dam. 1, H318		
CAS: 3407-42-9	GHS09, GHS08	[ii]	0 <= x % < 2.5
EC: 222-294-1	Wng		
REACH: 01-2119979583-21-XXXX	Repr. 2, H361		
	Aquatic Chronic 2, H411		
3-(5,5,6-TRIMETHYLBICYCLO[2.2.1]HEPT-2	_		
-YL)CYCLOHEXAN-1-OL (SANDELA)	M Acute = 1		
CAS: 91-64-5	GHS07		0 <= x % < 2.5
EC: 202-086-7	Wng		
REACH: 01-2119943756-26-0001	Acute Tox. 4, H302		
11211011 01 211) 10 10 20 0001	Skin Sens. 1B, H317		
COUMARIN			
CAS: 6259-76-3	GHS07, GHS09		0 <= x % < 2.5
EC: 228-408-6	Wng		1 1 70 (2.5)
REACH: 01-2119638275-36-0002	Skin Sens. 1B, H317		
1211 01 211/0502/5 50 0002	Aquatic Acute 1, H400		
HEXYL SALICYLATE	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 106-22-9	GHS07		0 <= x % < 2.5
EC: 203-375-0	Wng		U \- A 70 \ 2.3
REACH: 01-2119453995-23-XXXX	Skin Irrit. 2, H315		
NLACII. 01-211/433/33-23-AAAA	Skin Sens. 1B, H317		
DL-CITRONELLOL	Eye Irrit. 2, H319		
DL-CITRONELLUL	рус ии. 2, изтя		

	T	Τ.	
CAS: 76-22-2	GHS02, GHS05, GHS07, GHS08, GHS09	[i]	$0 \le x \% < 2.5$
EC: 200-945-0	Dgr		
REACH: 01-2119966156-31-XXXX	228		
	Acute Tox. 4, H302		
CAMPHOR	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
	Acute Tox. 4, H332		
	STOT SE 2, H371		
G1.0.50565.11.6	Aquatic Chronic 2, H411		0 0/ 0.5
CAS: 58567-11-6	GHS07, GHS09		$0 \le x \% < 2.5$
EC: 261-332-1	Wng		
REACH: 01-2119971571-34-XXXX	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
FORMALDEHYDE CYCLODODECYL	Aquatic Chronic 2, H411		
ETHYL ACETAL			
CAS: 106-25-2	GHS07		0 <= x % < 2.5
EC: 203-378-7	Wng		
REACH: 01-2119983244-33-0000	Skin Irrit. 2, H315		
NEA 1011. 01-211//03244-33-0000	Skin Sens. 1B, H317		
NEDOL			
NEROL	Eye Irrit. 2, H319		0 0/ - 2.5
CAS: 90028-68-5	GHS07		$0 \le x \% < 2.5$
EC: 289-861-3	Wng		
	Skin Sens. 1B, H317		
OAKMOSS ABSOLUTE			
CAS: 87-44-5	GHS07, GHS08		$0 \le x \% < 2.5$
EC: 201-746-1	Dgr		
REACH: 01-2120745237-53-XXXX	Asp. Tox. 1, H304		
REFICIT. 01 2120743237 33 MMM	Skin Sens. 1B, H317		
BETA-CARYOPHYLLENE	Skill Sells. 1D, 11317		
CAS: 469-61-4	CHEON CHEON CHEON		0 <= x % < 2.5
	GHS08, GHS09, GHS07		$0 \le x \% < 2.5$
EC: 207-418-4	Dgr		
REACH: EXEMPTION	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
ALPHA-CEDRENE	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 10		
CAS: 470-82-6	GHS02, GHS07		0 <= x % < 2.5
EC: 207-431-5	Wng		0 <- R /0 < 2.5
REACH: 01-2119967772-24-0018	Flam. Liq. 3, H226		
REACH. 01-211990///2-24-0018	Skin Sens. 1B, H317		
FUCALNETOL			
EUCALYPTOL	Eye Irrit. 2, H319		0 0 0 0 0
CAS: 470-40-6	GHS09, GHS08		$0 \le x \% < 2.5$
	Dgr		
THUJOPSENE	Asp. Tox. 1, H304		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 13828-37-0	GHS07		0 <= x % < 2.5
EC: 237-539-8	Wng		
REACH: 01-2119983532-32-XXXX	Skin Irrit. 2, H315		
KLACII. 01-211//03332-32-AAAA	Skin Sens. 1B, H317		
CIG 4 (IGODDODYI )CYCL OHEY AND TERU			
CIS-4-(ISOPROPYL)CYCLOHEXANEMETHA	<del>1</del>		
NOL			
CAS: 105-87-3	GHS07		$0 \le x \% < 2.5$
EC: 203-341-5	Wng		
REACH: 01-2119973480-35-XXXX	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
GERANYL ACETATE	Aquatic Chronic 3, H412		

CAS: 80-56-8	GHS02, GHS07, GHS08, GHS09	0 <= x % < 2.5
EC: 201-291-9	Dgr	0 1 11 70 1210
REACH: 01-2119519223-49-XXXX	Flam. Liq. 3, H226	
	Acute Tox. 4, H302	
ALPHA-PINENE	Asp. Tox. 1, H304	
TEITH THERE	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
	Aquatic Acute 1, H400	
	M Acute = 1	
	Aquatic Chronic 1, H410	
	M Chronic = 1	
CAS: 127-91-3	GHS02, GHS07, GHS08, GHS09	0 <= x % < 2.5
		$0 \le x \% < 2.3$
EC: 204-872-5	Dgr	
REACH: 01-2119519230-54-0000	Flam. Liq. 3, H226	
DETA DINENE	Asp. Tox. 1, H304	
BETA-PINENE	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
	Aquatic Acute 1, H400	
	M Acute = 1	
	Aquatic Chronic 1, H410	
	M Chronic = 1	
CAS: 123-35-3	GHS02, GHS07, GHS08, GHS09	$0 \le x \% < 2.5$
EC: 204-622-5	Dgr	
REACH: 01-2119514321-56-0000	Flam. Liq. 3, H226	
	Asp. Tox. 1, H304	
MYRCENE	Skin Irrit. 2, H315	
	Eye Irrit. 2, H319	
	Aquatic Chronic 2, H411	
	Aquatic Acute 1, H400	
	M Acute = 1	
CAS: 103-95-7	GHS07	0 <= x % < 2.5
EC: 203-161-7	Wng	
REACH: 01-2119970582-32-0000	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
2-METHYL-3-(P-ISOPROPYLPHENYL)PROP		
IONALDEHYDE	inquite emone of invide	
CAS: 105-85-1	GHS07	0 <= x % < 2.5
EC: 203-338-9	Wng	0 K /0 \ 2.5
20. 203 330 7	Skin Irrit. 2, H315	
CITRONELLYL FORMATE	Skin Sens. 1B, H317	
CAS: 546-28-1	GHS09	0 <= x % < 2.5
EC: 208-898-8	Wng	U \- A /0 \ 2.3
LC. 200-070-0		
DETA CEDDENIE	Aquatic Acute 1, H400	
BETA-CEDRENE	M Acute = 10	
	Aquatic Chronic 1, H410	
	M Chronic = 10	

**Specific concentration limits:** 

Identification	Specific concentration limits	ATE
CAS: 8000-41-7		oral: ATE = 4300 mg/kg BW
EC: 232-268-1		
REACH: 01-2119553062-49-XXXX		
TERPINEOL		
CAS: 78-70-6		oral: ATE = 2790 mg/kg BW
EC: 201-134-4		
REACH: 01-2119474016-42-0000		
LINALOOL		
CAS: 87-20-7		oral: ATE = 1406 mg/kg BW
EC: 201-730-4		
ISOAMYL SALICYLATE		
CAS: 18479-58-8		oral: ATE = 3600 mg/kg BW
EC: 242-362-4		
REACH: 01-2119457274-37-008		
DIHYDROMYRCENOL		

CAS: 1506-02-1		oral: ATE = 1000 mg/kg BW
EC: 216-133-4		
REACH: 01-2119539433-40-XXXX		
6-ACETYL-1,1,2,4,4,7-HEXAMETHYLTETRA		
LINE (TONALIDE, FIXOLIDE, AHTN)		
CAS: 106-24-1		oral: ATE = 3600 mg/kg BW
EC: 203-377-1		
REACH: 01-2119552430-49-0003		
GERANIOL		
CAS: 106-22-9		dermal: ATE = 2650 mg/kg BW
EC: 203-375-0		oral: ATE = 3450 mg/kg BW
REACH: 01-2119453995-23-XXXX		
DL-CITRONELLOL		
CAS: 76-22-2	STOT SE 2 (Inh): H371 C>= 10%	oral: ATE = 1500 mg/kg BW
EC: 200-945-0		
REACH: 01-2119966156-31-XXXX		
CAMPHOR		
CAS: 106-25-2		oral: ATE = 4500 mg/kg BW
EC: 203-378-7		
REACH: 01-2119983244-33-0000		
NEROL		
CAS: 90028-68-5		oral: ATE = 2900 mg/kg BW
EC: 289-861-3		
OAKMOSS ABSOLUTE		
CAS: 470-82-6		oral: ATE = 2480 mg/kg BW
EC: 207-431-5		
REACH: 01-2119967772-24-0018		
EUCALYPTOL		
CAS: 103-95-7		oral: ATE = 3810 mg/kg BW
EC: 203-161-7		
REACH: 01-2119970582-32-0000		
2-METHYL-3-(P-ISOPROPYLPHENYL)PROP		
IONALDEHYDE		

## Information on ingredients:

(Full text of H-phrases: see section 16)

- [i] Substance for which maximum workplace exposure limits are available.
- [ii] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. description of first aid measures

## In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

## In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

#### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For non first aid worker

Avoid any contact with the skin and eyes.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

## SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

## 7.1. Precautions for safe handling

Always wash hands after handling

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

## Fire prevention:

Handle in well-ventilated areas.

Never inhale this mixture.

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

#### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area

### **Packaging**

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Occupational exposure limits:

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
76-22-2	2	12				

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
76-22-2	2 ppm	3 ppm			
	13 mg/m3	19 mg/m3			

## Derived no effect level (DNEL) or derived minimum effect level (DMEL):

MYRCENE (CAS: 123-35-3)

Final use: Workers.
Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 0.83 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 5.83 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 0.42 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 0.42 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 1.25 mg of substance/m3

GERANYL ACETATE (CAS: 105-87-3)

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

DL-CITRONELLOL (CAS: 106-22-9)

Final use:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Final use:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

DIHYDROMYRCENOL (CAS: 18479-58-8)

Final use:

Exposure method:

Potential health effects:

DNEL:

Exposure method:

Potential health effects:

DNEL:

Final use:

Exposure method:

Potential health effects:

Workers.

Dermal contact.

Long term systemic effects.

35.5 mg/kg body weight/day

Inhalation.

Long term systemic effects.

62.59 mg of substance/m3

Consumers.

Ingestion.

Long term systemic effects.

8.9 mg/kg body weight/day

Dermal contact.

Long term systemic effects.

17.75 mg/kg body weight/day

Inhalation.

Long term systemic effects.

15.4 mg of substance/m3

Workers.

Dermal contact.

Long term systemic effects.

45.8 mg/kg body weight/day

Inhalation.

Long term systemic effects.

161.6 mg of substance/m3

Consumers.

Ingestion.

Long term systemic effects.

13.8 mg/kg body weight/day

Dermal contact.

Long term systemic effects.

27.5 mg/kg body weight/day

Inhalation.

Long term systemic effects.

47.8 mg of substance/m3

8 - -

Workers.

Dermal contact.

Long term systemic effects.

20.8 mg/kg body weight/day

Inhalation.

Long term systemic effects.

73.5 mg of substance/m3

Consumers.

Ingestion.

Long term systemic effects.

Workers.

DNEL: 12.5 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 12.5 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 21.7 mg of substance/m3

LINALOOL (CAS: 78-70-6)

Final use:

Exposure method: Dermal contact.

Potential health effects: Short term systemic effects.

DNEL: 5 mg/kg body weight/day

Exposure method:

Dermal contact.

Potential health effects:

DNEL:

Short term local effects.

15 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 2.5 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term local effects.

DNEL: 15 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Short term systemic effects.

DNEL: 2.5 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term systemic effects. DNEL: 16.5 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 2.8 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Short term systemic effects.

DNEL: Short term systemic enects.

1.2 mg/kg body weight/day

Exposure method: Ingestion.

Potential health effects: Long term systemic effects. DNEL: 0.2 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Short term local effects.

DNEL: 15 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 1.25 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term local effects.

DNEL: 15 mg of substance/cm2

Exposure method: Inhalation.

Short term systemic effects. Potential health effects: DNEL: 4.1 mg of substance/m3

Exposure method: Inhalation.

Long term systemic effects. Potential health effects: DNEL: 0.7 mg of substance/m3

LINALYL ACETATE (CAS: 115-95-7)

Final use:

Dermal contact. Exposure method: Potential health effects: Short term local effects. DNEL: 8 mg of substance/cm2

Exposure method: Potential health effects:

DNEL:

Exposure method: Potential health effects: DNEL:

Exposure method: Potential health effects:

DNEL:

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method: Potential health effects: DNEL:

Exposure method: Potential health effects:

DNEL:

Exposure method: Potential health effects:

DNEL:

Exposure method: Potential health effects:

DNEL:

TERPINEOL (CAS: 8000-41-7)

Final use:

Exposure method: Potential health effects:

DNEL:

Exposure method: Potential health effects:

DNEL:

Exposure method:

Workers.

Dermal contact.

Long term systemic effects. 2.5 mg/kg body weight/day

Dermal contact. Long term local effects. 8 mg of substance/cm2

Inhalation.

Long term systemic effects. 2.75 mg of substance/m3

Consumers.

Ingestion.

Long term systemic effects. 0.2 mg/kg body weight/day

Dermal contact. Short term local effects. 8 mg of substance/cm2

Dermal contact.

Long term systemic effects. 1.25 mg/kg body weight/day

Dermal contact. Long term local effects. 8 mg of substance/cm2

Inhalation.

Long term systemic effects. 0.68 mg of substance/m3

Workers.

Dermal contact.

Short term systemic effects. 5 mg/kg body weight/day

Dermal contact.

Long term systemic effects. 1.17 mg/kg body weight/day

Inhalation.

Potential health effects: Short term systemic effects. DNEL: 5.8 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.
DNEL: 5.8 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Short term systemic effects.

DNEL: 2.5 mg/kg body weight/day

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 0.42 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Short term systemic effects.

DNEL: 2.5 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 0.42 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term systemic effects.

DNEL: 1.25 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 1.25 mg of substance/m3

#### Predicted no effect concentration (PNEC):

MYRCENE (CAS: 123-35-3)

Environmental compartment: Soil. PNEC: 1.015 mg/kg

Environmental compartment: Fresh water. PNEC :  $8 \, \mu g/l$ 

 $\begin{array}{ll} \text{Environmental compartment:} & \text{Sea water.} \\ \text{PNEC:} & 0.8 \ \mu\text{g/l} \end{array}$ 

Environmental compartment: Fresh water sediment.

PNEC: 5.022 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.502 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 0.2 mg/l

GERANYL ACETATE (CAS: 105-87-3)

Environmental compartment: Soil.

PNEC: 0.0859 mg/kg

Environmental compartment: Fresh water. PNEC: 3.72 mg/l

Environmental compartment: Sea water.

PNEC: 0.372 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 37.2 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.442 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.0442 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 8 mg/l

DL-CITRONELLOL (CAS: 106-22-9)

Environmental compartment: Soil.

PNEC: 0.00371 mg/kg

Environmental compartment: Fresh water. PNEC: 0.0024 mg/l

Environmental compartment: Sea water.
PNEC: 0.00024 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.024 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.0256 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.00256 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 580 mg/l

DIHYDROMYRCENOL (CAS: 18479-58-8)

Environmental compartment: Soil. PNEC: 0.103 mg/kg

 $\begin{array}{ll} \text{Environmental compartment:} & \text{Fresh water.} \\ \text{PNEC:} & 27.8 \ \mu\text{g/l} \end{array}$ 

Environmental compartment: Sea water. PNEC :  $2.78 \mu g/l$ 

Environmental compartment: Intermittent waste water.

PNEC:  $0.278 \,\mu\text{g/l}$ 

Environmental compartment: Fresh water sediment.

PNEC: 0.594 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.0594 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 10 mg/l

Environmental compartment: Fresh water predators (oral).

PNEC: 111 mg/kg

Environmental compartment: Salt water predators (oral).

PNEC: 111 mg/kg

LINALOOL (CAS: 78-70-6)

Environmental compartment: Soil.

PNEC: 0.327 mg/kg

Environmental compartment: Fresh water. PNEC: 0.2 mg/l

Environmental compartment: Sea water. PNEC: 0.02 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 2 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 2.22 mg/kg

Environmental compartment: Marine sediment.

PNEC: 0.222

LINALYL ACETATE (CAS: 115-95-7)

Environmental compartment: Soil.

PNEC: 0.115 mg/kg

Environmental compartment: Fresh water. PNEC: 0.011 mg/l

Environmental compartment: Sea water.
PNEC: 0.0011 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.11 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 0.609 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.0609 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 10 mg/l

TERPINEOL (CAS: 8000-41-7)

Environmental compartment: Soil. PNEC: 0.052 mg/kg

Environmental compartment: Fresh water. PNEC :  $62 \ \mu g/l$ 

Environmental compartment: Sea water. PNEC :  $6.2 \mu g/l$ 

Environmental compartment: Fresh water sediment.

PNEC: 0.442 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.044 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 2.57 mg/l

Environmental compartment: Fresh water predators (oral).

PNEC: 16.6 mg/kg

Environmental compartment: Salt water predators (oral).

PNEC: 16.6 mg/kg

## 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- PVA (Polyvinyl alcohol)

## - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical state

Physical state: Viscous liquid.

Colour

Unspecified

Odour

Odour threshold: Not stated.

Melting point

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range : Not stated.

#### GILDEWERK BV

#### PERFUME OIL ZARDOS YZS-2602\*

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not specified.

**Flammability** 

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

:

Explosive properties, upper explosivity limit (%) Not stated.

:

Flash point

Flash Point: 85.00 °C.

**Auto-ignition temperature** 

Self-ignition temperature: Not specified.

**Decomposition temperature** 

Decomposition point/decomposition range: Not specified.

pН

pH: Not stated.
Neutral.
pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: Not stated.

Viscosity:  $v < 7 \text{ mm2/s} (40^{\circ}\text{C})$ 

**Solubility** 

Water solubility: Insoluble. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Below 110 kPa (1.10 bar).

Density and/or relative density

Density: >1

Relative vapour density

Vapour density: Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Stockage: 1 year secure from air and light and heat

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

## 10.4. Conditions to avoid

Stockage: 6 months secure from light and air, in packing of origin.

Stockage: 1 year secure from light and air, in packing of origin.

## 10.5. Incompatible materials

No data available.

#### JILDEWEKK BV

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

May cause an allergic reaction by skin contact.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

## 11.1.1. Substances

## Acute toxicity:

2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE (CAS: 103-95-7)
Oral route: LD50 = 3810 mg/kg bodyweight/day

EUCALYPTOL (CAS: 470-82-6)

Oral route : LD50 = 2480 mg/kg bodyweight/day

OAKMOSS ABSOLUTE (CAS: 90028-68-5)

Oral route : LD50 = 2900 mg/kg bodyweight/day

NEROL (CAS: 106-25-2)

Oral route : LD50 = 4500 mg/kg bodyweight/day

CAMPHOR (CAS: 76-22-2)

Oral route : LD50 = 1500 mg/kg bodyweight/day

DL-CITRONELLOL (CAS: 106-22-9)

Oral route : LD50 = 3450 mg/kg bodyweight/day

Dermal route : LD50 = 2650 mg/kg bodyweight/day

GERANIOL (CAS: 106-24-1)

Oral route: LD50 = 3600 mg/kg bodyweight/day

6-ACETYL-1,1,2,4,4,7-HEXAMETHYLTETRALINE (TONALIDE, FIXOLIDE, AHTN) (CAS: 1506-02-1)

Oral route: LD50 = 1000 mg/kg bodyweight/day

DIHYDROMYRCENOL (CAS: 18479-58-8)

Oral route: LD50 = 3600 mg/kg bodyweight/day

ISOAMYL SALICYLATE (CAS: 87-20-7)

Oral route : LD50 = 1406 mg/kg bodyweight/day

LINALOOL (CAS: 78-70-6)

Oral route: LD50 = 2790 mg/kg bodyweight/day

TERPINEOL (CAS: 8000-41-7)

Oral route : LD50 = 4300 mg/kg bodyweight/day

#### 11.1.2. Mixture

## **Aspiration hazard:**

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

#### 11.2. Information on other hazards

### **Endocrine disrupting properties**

The mixture does not contain any substance evaluated as an endocrine disruptor with effects on human health.

## Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 93-15-2: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 111-42-2: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 93-15-2: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 102-71-6: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 98-01-1: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 108-88-3: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

CAS 97-53-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

CAS 123-35-3: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 91-64-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

## **SECTION 12 : ECOLOGICAL INFORMATION**

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

## 12.1. Toxicity

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Endocrine disrupting properties

The mixture does not contain any substance evaluated as an endocrine disruptor with environmental effects.

#### 12.7. Other adverse effects

No data available.

## SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2024 [65]).

#### 14.1. UN number or ID number

3082

## 14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(d-limonene)

#### 14.3. Transport hazard class(es)

- Classification:



## 14.4. Packing group

III

#### 14.5. Environmental hazards

- Environmentally hazardous material:



## 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375	E1	3	-
							601			

Not subject to this regulation if  $Q \le 51/5 \text{ kg}$  (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	9	_	III	5 L	F-A. S-F	274 335 969	E1	Category A	-

Not subject to this regulation if Q  $<=5\,1\,/\,5$  kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158	E1
								A197 A215	
	9	-	III	Y964	30 kg G	-	-	A97 A158	E1
								A197 A215	

Not subject to this regulation if  $Q \le 51/5 \text{ kg}$  (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(d-limonene)

## 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2023/707.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2024/197. (ATP 21)

## **Container information:**

No data available.

## Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

#### **Explosives precursors:**

The mixture contains at least one substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors:

- Acetone (CAS 67-64-1)

The acquisition, introduction, possession or use of this restricted explosive precursor by members of the general public is subject to the reporting obligations.

## Particular provisions:

No data available.

#### 15.2. Chemical safety assessment

No data available.

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3:

wording of the phrases mentioned in	section 5.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child .
H371	May cause damage to organs .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration CMR: Carcinogenic, mutagenic or reprotoxic.

UFI: Unique formulation identifier.
STEL: Short-term exposure limit
TWA: Time Weighted Averages
TMP: French Occupational Illness table
TLV: Threshold Limit Value (exposure)
AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS05: Corrosion

GHS07 : Exclamation mark GHS08 : Health hazard GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.



## **List of Allergenic Compounds**

## According Regulation (EU) 2023/1545 of 26 July 2023 amending Regulation (EC) No 1223/2009

## PERFUME OIL ZARDOS YZS-2602\*

INCI Name	N° Cas	N° EINECS	Concentration (in %)
Camphor	464-48-2 76-22-2 464-49-3 21368-68-3	207-354-7 200-945-0 207-355-2 244-350-4	1.011
Terpineol	138-87-4 98-55-5 586-81-2 8000-41-7	205-342-6 202-680-6 209-584-3 232-268-1	9.219
3-Propylidenephthalide	17369-59-4	241-402-8	
6-Methyl Coumarin	92-48-8	202-158-8	
Acetyl Cedrene	32388-55-9	251-020-3	
Alpha-Isomethyl Ionone	127-51-5	204-846-3	
Pinene	80-56-8 127-91-3 7785-70-8 18172-67-3	201-291-9 204-872-5 232-087-8 242-060-2	0.33
Santalol	115-71-9 77-42-9 11031-45-1	204-102-8 201-027-2 234-262-4	
Alpha-Terpinene	99-86-5	202-795-1	0.013
Amyl Cinnamal	122-40-7	204-541-5	
Amyl Salicylate	2050-08-0	218-080-2	
Amylcinnamyl Alcohol	101-85-9	202-982-8	
Anethole	104-46-1 4180-23-8	203-205-5 224-052-0	0.009
Anise Alcohol	105-13-5	203-273-6	0.002
Benzaldehyde	100-52-7	202-860-4	
Benzyl Alcohol	100-51-6	202-859-9	0.006
Benzyl Benzoate	120-51-4	204-402-9	
Benzyl Cinnamate	103-41-3	203-109-3	

This certificate refers only to the existing CAS in our database.

This certificate is generated by calculation based on data for ingredients.

The information contained herein is, to the best of our knowledge, true and accurate at the time it is given. It is your responsibility to ensure that the usage of the fragrance ingredients and the levels of such usage are permitted at all times according to the relevant laws and regulations. Detection limit of calculation is 10 ppm.

<sup>&#</sup>x27;---' = Levels of material less than 10 ppm

INCI Name	N° Cas	N° EINECS	Concentration (in %)
Benzyl Salicylate	118-58-1	204-262-9	
Beta-Caryophyllene	87-44-5	201-746-1	0.445
Butylphenyl Methylpropional	80-54-6	201-289-8	
Cananga Odorata Oil/Extract	68606-83-7 8006-81-3	297-681-1 281-092-1	
Carvone	99-49-0 2244-16-8 6485-40-1	202-759-5 218-827-2 229-352-5	0.093
Cedrus Atlantica Oil/Extract	8023-85-6 92201-55-3	295-985-9	
Cinnamal	104-55-2	203-213-9	
Cinnamomum Cassia Leaf Oil	8007-80-5	284-635-0	
Cinnamomum Zeylanicum Bark Oil	8015-91-6 84649-98-9	283-479-0 283-479-0	
Cinnamyl Alcohol	104-54-1	203-212-3	
Rose Ketones	23726-92-3 23726-94-5 43052-87-5 57378-68-4 23696-85-7 24720-09-0 23726-91-2 71048-82-3	245-843-7 245-845-8 245-845-8 260-709-8 245-833-2 246-430-4 245-842-1 275-156-8	
Isoeugenol	5912-86-7 97-54-1 5932-68-3	202-590-7 227-678-2	
Citral	5392-40-5 141-27-5 106-26-3	226-394-6 205-476-5 203-379-2	0.095
Citronellol	106-22-9 1117-61-9 26489-01-0 0 7540-51-4	203-375-0 231-415-7	1.327
Citrus Aurantium Flower Oil	72968-50-4 8028-48-6 8016-38-4	277-143-2 232-433-8 277-143-2	
Citrus Aurantium Peel Oil	68916-04-1 97766-30-8 8008-57-9	277-143-2 232-433-8	
Citrus Aurantium Bergamia Peel Oil	8007-75-8		
Citrus Limon Peel Oil	8008-56-8	284-515-8	
Coumarin	91-64-5	202-086-7	2.007
Lemongrass Oil	8007-02-1	289-752-0	
Limonene	7705-14-8 5989-27-5 138-86-3 5989-54-8	231-732-0 227-813-5 205-341-0 227-815-6	6.149
Dimethyl Phenethyl Acetate	151-05-3	205-781-3	

This certificate refers only to the existing CAS in our database.

This certificate is generated by calculation based on data for ingredients.

The information contained herein is, to the best of our knowledge, true and accurate at the time it is given. It is your responsibility to ensure that the usage of the fragrance ingredients and the levels of such usage are permitted at all times according to the relevant laws and regulations. Detection limit of calculation is 10 ppm.
'---' = Levels of material less than 10 ppm

INCI Name	N° Cas	N° EINECS	Concentration (in %)
Menthol	1490-04-6 15356-60-2 2216-51-5 89-78-1	216-074-4 239-387-8 218-690-9 201-939-0	0.003
Eucalyptus Globulus Oil	8000-48-4	283-406-2	0.305
Eugenia Caryophyllus Oil	8000-34-8	284-638-7	
Eugenol	97-53-0	202-589-1	0.002
Eugenyl Acetate	93-28-7	202-235-6	
Evernia Furfuracea (Treemoss) extract	90028-67-4	289-860-8	
Evernia Prunastri (Oakmoss) extract	90028-68-5	289-861-3	0.565
Farnesol	4602-84-0	225-004-1	
Geraniol	106-24-1	203-377-1	2.453
Geranyl Acetate	105-87-3	203-341-5	0.221
Hexadecanolactone	109-29-5	203-662-0	
Hexamethylindanopyran	1222-05-5	214-946-9	
Hexyl Cinnamal	101-86-0	202-983-3	0.018
Hydroxycitronellal	107-75-5	203-518-7	
Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde	31906-04-4	250-863-4	
Isoeugenyl Acetate	93-29-8	202-236-1	
Jasmine Oil/Extract	84776-64-7 8022-96-6	283-993-5 283-993-5	
Juniperus Virginiana Oil	8000-27-9		1.015
Laurus Nobilis Leaf Oil	8002-41-3	283-272-5	
Lavandula Oil/Extract	84776-65-8 8022-15-9 92623-76-2	283-994-0 294-470-6 296-408-3	1.35
Linalool	78-70-6	201-134-4	6.413
Linalyl Acetate	115-95-7	204-116-4	8.383
Lippia Citriodora absolute	8024-12-2 85116-63-8	285-515-0 285-515-0	
Mentha Piperita Oil	8006-90-4		
Mentha Viridis Leaf Oil	84696-51-5 8008-79-5	283-656-2	0.1
Methyl 2-octynoate	111-12-6	203-836-6	
Methyl Salicylate	119-36-8	204-317-7	
Myroxylon Pereirae Oil/Extract	8007-00-9	232-352-8	

This certificate refers only to the existing CAS in our database.

This certificate is generated by calculation based on data for ingredients.

The information contained herein is, to the best of our knowledge, true and accurate at the time it is given. It is your responsibility to ensure that the usage of the fragrance ingredients and the levels of such usage are permitted at all times according to the relevant laws and regulations. Detection limit of calculation is 10 ppm.

<sup>&#</sup>x27;---' = Levels of material less than 10 ppm

INCI Name	N° Cas	N° EINECS	Concentration (in %)	
Narcissus Extract	90064-25-8 68917-12-4			
Naicissus extract	90064-27-0	290-088-9	<del></del>	
Pelargonium Graveolens Flower Oil	8000-46-2	290-140-0		
Pinus Mugo	90082-72-7	290-163-6		
Pinus Pumila	97676-05-6	307-681-6		
Pogostemon Cablin Oil	84238-39-1	282-493-4	1.878	
	93334-48-6	297-122-1		
	84696-47-9	283-652-0		
D El 011/E / /	84604-12-6	283-289-8		
Rose Flower Oil/Extract	90106-38-0	290-260-3		
	8007-01-0	290-260-3		
	84604-13-7			
	92347-25-6	296-213-3		
Salicylaldehyde	90-02-8	201-961-0		
Santalum Album Oil	8006-87-9			
Sclareol	515-03-7			
Terpinolene	586-62-9	209-578-0	0.089	
	68155-67-9	268-979-9		
	54464-59-4	259-175-9		
Tetramethyl acetyloctahydro-naphthalenes	68155-66-8	268-978-3	<del></del>	
	54464-57-2	259-174-3		
Trimethylbenzenepropanol	103694-68-4	403-140-4		
Trimethylcyclopentenyl Methylisopentenol	67801-20-1	267-140-4		
Turpentine	8006-64-2	232-350-7	0.021	
ruiperiure	9005-90-7	232-350-7	0.021	
Vanillin	121-33-5	204-465-2		

This certificate refers only to the existing CAS in our database.

This certificate is generated by calculation based on data for ingredients.

The information contained herein is, to the best of our knowledge, true and accurate at the time it is given. It is your responsibility to ensure that the usage of the fragrance ingredients and the levels of such usage are permitted at all times according to the relevant laws and regulations.

Detection limit of calculation is 10 ppm.

'---' = Levels of material less than 10 ppm

## CERTIFICATE OF CONFORMITY OF FRAGRANCE MIXTURES WITH IFRA STANDARDS

Issue date: 05/04/2024

Perfumed composition: PERFUME OIL ZARDOS YZS-2602\*

## We certify that the above mixture:

complies with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 51th Amendment to the IFRA Code of Practice (published June 2023), provided it is used in the following categories at a maximum concentration level of:

IFRA class(es) (see annex for detail)	Maximum level of use (%)
1	0,00
2	2,83
3	4,44
4	17,70
5A	13,45
5B	5,48
5C	7,97
5D	1,74
6	0,00
7A	8,97
7B	8,97
8	1,74
9	17,70
10A	17,70
10B	17,70
11A	1,74
11B	1,74
12	100,00

For other kinds of application or use at higher concentration levels, a new evaluation can be needed; please contact Gildewerk BV. Information about presence and concentration of fragrance ingredients subject to IFRA Standards in the above mixture is as follows:

# ANNEX : Definition of IFRA Class

Finished products types	IFRA class
Lip products of all type (solid and liquid lipsticks, balms, clear or colored etc.)Children's toys	1
Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deocologne and body spray, etc.)Body sprays (including body mist)	2
Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eyecare and moisturizer. Facial make-up and foundation. Make-up remover for face and eyes. Nose pore strips. Wipes or refreshing tissues for face, neck, hands, body. Body and face paint (for children and adults). Facial masks for face and around the eyes.	3
Hydroalcoholic and non-hydroalcoholicfine fragrance of all types (Eau deToilette, Parfum, Cologne, solid perfume, fragrancing cream,aftershaves of all types, etc.)Ingredients of perfume kits and fragrance mixtures for cosmetic kits.Scent pads, foil packs.Scent strips for hydroalcoholic products.	4
Body lotion products applied to the body using the hands (palms), primarily leave-on: Body creams, oils, lotions of all types. Foot care products (creams and powders). Insect repellent (intended to be applied to the skin). All powders and talc (excluding baby powders and talc).	5A
Face moisturizer products applied to the face using the hands (palms), primarily leave-onFacial toner - Facial moisturizers and creams.	5B
Hand cream products applied to the hands using the hands (palms), primarily leave-onHand cream - Nail care products including cuticle creams, etcHand sanitizers -	5C
Baby Creams, baby Oils and baby talc	5D
Products with oral and lip exposure :Toothpaste Mouthwash, including breath sprays Toothpowder, strips, mouthwash tablets	6
"Rinse-off products applied to the hair with some hand contact Hair permanent or other hair chemicaltreatments (rinse-off) including rinse-off hair dyes "	7 <b>A</b>
"Leave-on products applied to the hair with hand contact Hair sprays of all types (pumps,aerosol sprays, etc.) Hair styling aids non sprays (mousse,gels, leave- on conditioners) Hair permanent or other hair chemicaltreatments (leave-on) (e.g. relaxers),including leave-on hair dyes Shampoo - Dry (waterless shampoo) Hair deodorizer "	7B
"Products with significant anogenital exposure Intimate wipes Tampons Toilet paper (wet)	8
"Rinse off products with body and hand exposure: Bar soap Shampoo of all type Cleanser for face (rinse-off) Conditioner (rinse-off) Liquid soap Body washes and shower gels of all types Bath gels, foams, mousses, salts, oilsand other products added to bathwater Foot care products (feet are placed ina bath for soaking) Shaving creams of all types (stick,gels, foams, etc.) All depilatories (including facial) andwaxes for mechanical hair removal Shampoos for pets "	9
"Household care products with mostly hand contact: excluding aerosol/spray products Hand wash laundry detergent (including concentrates) Laundry pre-treatment of all types (e.g.paste, sprays, sticks) Hand dishwashing detergent (includingconcentrates) Hard surface cleaners of all types (bathroom and kitchen cleansers,furniture polish, etc.) Machine laundry detergents with skin contact (e.g. liquids, powders)including concentrates Dry cleaning kits Toilet seat wipes Fabric softeners of all types including fabric softener sheets  Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles orfabrics) Floor wax Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems),etc. Ironing water (Odorized distilled water)  "	10A
"Household care products with mostly hand contact: aerosol/spray products Animal sprays – sprays applied to animals of all types Air freshener sprays, manual, includingaerosol and pump Aerosol/spray insecticides "	10B
"Products with intended skin contact but minimal transfer of fragrance to skin from inert substrate without UV exposure Feminine hygiene conventional pads, liners, interlabial pads Diapers (baby and adult) Adult incontinence pant, pad Toilet paper (dry) "	11A
"Products with intended skin contact but minimal transfer of fragrance to skin from inert substrate with potential UV exposure Tights with moisturizers Scented socks, gloves Facial tissues (dry tissues) Napkins Paper towels	11B

Wheat bags Facial masks (paper/protective) e.g. surgical masks not used as medical device Fertilizers, solid (pellet or powder)

"Products not intended for direct skin contact, minimal or insignificant transfer to skin

Candles of all types (includingencased)

Laundry detergents for machine wash with minimal skin contact (e.g. Liquidtabs, pods)

Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals)

Air delivery systems Cat litter

Cell phone cases

Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders)

Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excludingaerosols/sprays

Joss sticks or incense sticks
Dishwash detergent and deodorizers – for machine wash

Olfactive board games

Plastic articles (excluding toys)

Scratch and sniff

Scent pack

Scent delivery system (using dry air technology)

Shoe polishes Rim blocks (Toilet)

This certificate is generated by calculation based on data for ingredients. This Certificate provide restrictions for use of the specified product based only on those materials restricted by IFRA Standards for the toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety assessment of all product constituents. The information contained herein is, to the best of Gildewerks knowledge, true and accurate at the time it is given. It is provided to Customer for its information and internal use only. Gildewerk BV is not liable for any damages that may result from the misuse of the data. Any Customer product, marketing or other claims are Customer's sole responsibility.

12

#### IFRA Regulated Substances

Name	N° Cas	N° EINECS	Standard	%
2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE	68039-49-6	268-264-1	R-S	0.050
5-ACETYL-1,1,2,3,3,6-HEXAMETHYLINDAN (PHANTOLIDE/AHMI)	15323-35-0	239-360-0	R-S	0.003
ALLYL ESTERS	AE		R-S	0.050
ALPHA BISABOLOL	515-69-5	208-205-9	R	0.016
ALPHA-CEDRENE	469-61-4	207-418-4	R	0.315
ALPHA-HEXYLCINNAMALDEHYDE	101-86-0	202-983-3	R	0.018
AMYL VINYL CARBINYL ACETATE (1-OCTEN-3-YL ACETATE)	2442-10-6	219-474-7	R	0.007
ANISALDEHYDE (P-METHOXYBENZALDEHYDE)	123-11-5	204-602-6	R	1.000
ANISYL ALCOHOL	105-13-5	203-273-6	R	0.002
BENZYL ALCOHOL	100-51-6	202-859-9	R	0.006
BETA-CEDRENE	546-28-1	208-898-8	R	0.114
CARVONE	99-49-0	202-759-5	R	0.093
CIS-4-(ISOPROPYL)CYCLOHEXANEMETHANOL	13828-37-0	237-539-8	R	0.240
CITRAL	5392-40-5	226-394-6	R	0.095
CITRONELLAL	106-23-0	203-376-6	R	0.014
COUMARIN	91-64-5	202-086-7	R	2.007
CUMINALDEHYDE	122-03-2	204-516-9	R	0.007
CYCLAMEN ALCOHOL (CARRIED OVER FROM CYCLAMEN ALDEHYDE)	4756-19-8	225-289-2	R - S	0.002
CYCLAMEN ALDEHYDE (2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE)	103-95-7	203-161-7	R-S	0.122
DL-CITRONELLOL	106-22-9	203-375-0	R	1.327
ETHOXYMETHOXY CYCLODODECANE (BOISAMBRENE FORTE)	58567-11-6	261-332-1	R	1.000
EUGENOL	97-53-0	202-589-1	R	0.002

	A CONTRACTOR OF THE CONTRACTOR			
GERANIOL	106-24-1	203-377-1	R	2.453
HEXYL SALICYLATE	6259-76-3	228-408-6	R	2.000
LIMONENE.	5989-27-5	227-813-5	R-S	6.149
LINALOOL	78-70-6	201-134-4	R-S	6.413
METHYL BETA-NAPHTHYL KETONE (2-ACETONAPHTHONE)	93-08-3	202-216-2	R-S	0.050
MOUSSE DE CHENE	90028-68-5	289-861-3	R-S	0.565
OAKMOSS ABSOLUTE	9000-50-4	289-861-3	R-S	0.565
PERILLA ALDEHYDE	2111-75-3	218-302-8	R	0.006
P-ISOBUTYL-ALPHA-METHYL HYDROCINNAMALDEHYDE	6658-48-6	229-695-0	R	0.033

The IFRA standards regarding use restriction are based on safety assessments by the Panel of Experts of the RESEARCH INSTITUTE FOR FRAGRANCE MATERIALS (RIFM) and are enforced by the IFRA Scientific Committee It is the ultimate responsibility of our customer to ensure the safety of the final product by further testing if need be.

This document is generated by computer and consequently not signed