

www.gildewerk.com

## Certificate of Analysis

Date: 28-Feb-2024 Time: 9:29:35

Page 1 of 1

Item# ZKZ-04001

Description Colour pigment yellow

Lot# 1129066 Manufacture Date 05-May-2022

Best Before Date 03-May-2032

GILDEWERK BV A HOFMANWEG 41 2031 BH-HAARLEM NETHERLANDS

Test Description	Min Value	Max Value	Test Value	Test Method
Appearance	POWDER	POWDER	POWDER	10-010
Odour	CHARACT	CHARACT	CHARACT	10-022
Water solubility	INSOLUBLE	INSOLUBLE	INSOLUBLE	10-046
Volatile matter - 105°C (%)	0	5.0	0.4	10-102
Full shade	YES	YES	YES	10-125
Müller blasting	YES	YES	YES	10-126
Antimony (ppm)	0	10	0	10-210
Arsenic (ppm)	0	3.0	0	10-213
Barium (ppm)	0	50	1	10-210
Cadmium (ppm)	0	1.0	0	10-210
Chromium (ppm)	0	100	1	10-210
Copper (ppm)	0	100	0	10-210
Lead (ppm)	0	10	1	10-210
Mercury (ppm)	0	1.0	0.4	10-213
Zinc (ppm)	0	100	0	10-210

Hapatal

Emilie Chapotin, Quality Control Supervisor